

RESPONSIBLE DESIGN OUTSTANDING QUALITY EXCEPTIONAL EXECUTION

Make No Compromise









CONTENTS



4	CLARITY COMPOSITE DECKING
12	FORMA COMPOSITE DECKING
22	GRANDE COMPOSITE DECKING
28	FORMA COMPOSITE PANEL CLADDING
38	FORMA COMPOSITE SLATTED CLADDING
50	CLARITY COMPOSITE FENCING & GATES
58	BALUSTRADE SYSTEMS
62	PEDESTAL SYSTEMS
70	FORTE TIMBER FREE SUBSTRUCTURES



MIDNIGHT Forma Composite Slatted Cladding




Ecoscape Clarity® composite decking is a long lasting, low maintenance alternative to timber decking. Made up of recycled high density polyethylene plastic and reclaimed wood fibres. This unique makeup draws on the durability of synthetic products whilst maintaining the natural look and malleability of timber without any of its notable drawbacks.

This attractive and sustainable composite decking board is available in 5 beautiful colours and has a dual surface finish meaning the board can be laid either side up to achieve a different aesthetic.

Our Clarity® boards have also been independently tested to BS 7976-2:2002 and are classified as low slip potential in both wet and dry conditions making family safety one of its most attractive selling points.





Clarity® boards are dual sided with wide grooves on one side and narrower grooves on the other.



Our T-Clip fixing system is engineered for quick and easy installation whilst maintaining a high quality finish. The clips space decking boards evenly allowing for expansion and contraction with temperature fluctuation.





Clarity

decking board

dimensions

CLARITY® COMPOSITE DECKING

FSC www.fsc.org

Walnut

25mm x 150mm x 3000mm 25mm x 150mm x 4800mm






Autumn

25mm x 150mm x 3000mm 25mm x 150mm x 4800mm



Ash

25mm x 150mm x 3000mm 25mm x 150mm x 4800mm




NOTE: Lighter Clarity boards will show greater colour settling due to smaller quantities of dye and greater UV exposure to the natural wood fibres. After 3 months of UV exposure colour remains consistent.




Charcoal


25mm x 150mm x 3000mm 25mm x 150mm x 4800mm



Graphite

25mm x 150mm x 3000mm 25mm x 150mm x 4800mm





CLARITY® COMPOSITE DECKING ACCESSORIES

Angle Trim 42mm x 42mm x 3000mm



Flat Fascia Trim 15mm x 150mm x 3000mm



Solid Edge Board 25mm x 150mm x 3000mm



Hidden T- Clip Fixings 250pcs, incl screws & 1 drill bit



Locking Clip Fixings 50pcs, incl screws



Start/Finish Clips 50pcs



Colour Coded Screws





Environmentally conscious design using 95% ethically sourced materials

Anti-slip surface

Low maintenance - no need to paint, stain or seal

Does not rot, warp or splinter

Natural looking without many of the drawbacks of timber

Easy installation system with invisible fixings

Extensive 20 year warranty





FLINT Forma Composite Decking



Forma® composite decking is our premium composite with a durable polymer outer shell encapsulating the board. This capping forms an impermeable layer that protects from scratching, staining and fading making it the ultimate carefree, low maintenance flooring.

Available in six beautiful colours this stylish and sustainable decking board can instantly elevate any project into a luxury space.

The T-Clip fixing system allows boards to move freely with expansion and contraction preventing any buckling, twisting or warping. This clip is also conveniently hidden in the grooves of the decking board so there are no visible fixings through the top of the decking.



Our Locking Clip is similar to the T-Clip but with serrated teeth which locks the board in place. This ensures even expansion or contraction during hot or cold weather but prevents the board from sliding.



Woodgrain side 150 mm Grooved side



Forma

decking board

dimensions

FORMA® COMPOSITE DECKING



Havana

25mm x 150mm x 3000mm 25mm x 150mm x 4800mm



Spiced Oak

25mm x 150mm x 3000mm 25mm x 150mm x 4800mm



Silver Birch


25mm x 150mm x 3000mm 25mm x 150mm x 4800mm



SPICED OAK

Flint

25mm x 150mm x 3000mm 25mm x 150mm x 4800mm



Midnight

25mm x 150mm x 3000mm 25mm x 150mm x 4800mm






25mm x 150mm x 3000mm 25mm x 150mm x 4800mm







FORMA® COMPOSITE DECKING ACCESSORIES

Angle Trim 40mm x 40mm x 3000mm



Flat Fascia Trim 10mm x 150mm x 3000mm



Finishing Board 15mm x 80mm x 3600mm



Hidden T- Clip Fixings 250pcs, incl screws & 1 drill bit



Locking Clip Fixings 50pcs, incl screws



Start/Finish Clips 50pcs



Colour Coded Screws





Environmentally conscious design using 95% ethically sourced materials

Durable capping for UV and stain resistance

Low maintenance - no need to paint, stain or seal

Does not rot, warp or splinter

Natural looking without many of the drawbacks of timber

Easy installation system with invisible fixings

Extensive 25 year warranty

21



Similar to our Forma range, our Grande decking boards are made up of 95% recycled material and uses advanced co-extrusion technology which generates an externally durable outer layer.

As the name suggests, the Grande board is 50% wider than a standard decking board at 225mm – for an elegant and contemporary look – which has the added benefit of being quicker to fit.

DOVETAIL Grande Composite Decking






Our capped technology and advanced brushing techniques create a composite decking board with exceptional anti-slip values, is UV stable and comes with a 25 year guarantee.

Grande is dual sided with the warm light grey Dovetail colour on one side and beige coloured Chateau on the other. Each side has a natural looking woodgrain finish.





GRANDE COMPOSITE DECKING

Chateau

22mm x 225mm x 3600mm





Dovetail 22mm x 225mm x 3600mm





GRANDE COMPOSITE DECKING ACCESSORIES

Angle Trim

50mm x 50mm x 3000mm



Flat Fascia Trim

15mm x 150mm x 3000mm



Solid Edge Board 22mm x 225mm x 3600mm Hidden Screws



Composite Plugs &

Hidden T- Clip Fixings

250pcs, incl screws & 1 drill bit

8mm trim thickness



Locking Clip Fixings 50pcs, incl screws



Start/Finish Clips



Colour Coded Screws







MIDNIGHT Forma Composite Panel Cladding Ecoscape Forma® composite panel cladding is a long lasting, low maintenance alternative to timber that can be used on various exterior projects; from home renovation to new build apartments, sunrooms or contemporary garden rooms.

Our cladding is made up of recycled high density polyethylene plastic and reclaimed wood fibres. With a durable polymer outer shell encapsulating the board, it forms an impermeable layer that offers protection from scratching and fading.

ARGENT Forma Composite Panel Cladding





Our tongue and groove capped cladding profiles are available in six colours, utilise a hidden fixing system and have a choice of six finishing trims.








SILVER BIRCH Forma Composite Panel Cladding

Panel cladding board dimensions



FORMA® COMPOSITE PANEL CLADDING



Havana

13mm x 142mm x 3600mm Finished face 134mm







Spiced Oak 13mm x 142mm x 3600mm Finished face 134mm





Silver Birch 13mm x 142mm x 3600mm Finished face 134mm





HAVANA Forma Composite Panel Cladding

Flint 13mm x 142mm x 3600mm Finished face 134mm



MIDNIGHT

Forma Composite Panel Cladding



Argent




13mm x 142mm x 3600mm

Finished face 134mm







FORMA® COMPOSITE PANEL CLADDING TRIMS & ACCESSORIES

F Shape End Trim 47mm x 47mm x 3600mm Finished face 25mm x 47mm



External Corner Trim
58mm x 58mm x 3600mm
Finished face 40mm x 40mm



Angle Trim 40mm x 40mm x 3000mm 8mm trim thickness



Joint Trim 24mm x 79mm x 3600mm Finished face 40mm



Internal Corner Trim 72mm x 72mm x 3600mm Finished face 24mm x 24mm



Finishing Board
15mm x 80mm x 3600mm



Panel Reveal Trim 47mm x 160mm x 3600mm Finished face 25mm x 160mm



Aluminium Cladding Clips 250pcs



Aluminium Starter Bar 3000mm



Wood Screw For Cladding Clip



Plastic Pad 8mm x 18mm




Locking Screw For Cladding Clip 50pcs












Slatted cladding board dimensions



SILVER BIRCH Forma Composite Slatted Cladding

FORMA® COMPOSITE SLATTED CLADDING



Midnight

25mm x 120mm x 2500mm 25mm x 120mm x 3600mm







Spiced Oak

25mm x 120mm x 2500mm 25mm x 120mm x 3600mm



Silver Birch

25mm x 120mm x 2500mm 25mm x 120mm x 3600mm

Finished Face 112mm



Argent


25mm x 120mm x 2500mm 25mm x 120mm x 3600mm

Finished Face 112mm



Light Oak

25mm x 120mm x 2500mm 25mm x 120mm x 3600mm





Natural Oak

25mm x 120mm x 2500mm 25mm x 120mm x 3600mm







FORMA® COMPOSITE SLATTED CLADDING TRIMS & ACCESSORIES

Slatted Corner Trim 45mm x 78mm x 3600mm Finished face 25mm x 25mm



Slatted End Trim 54mm x 75mm x 3600mm Finished face 25mm x 54mm



Finishing Board 15mm x 80mm x 3600mm



Angle Trim 40mm x 40mm x 3000mm 8mm trim thickness



Aluminium Cladding Clips Aluminium Starter Bar 250pcs



3000mm

Wood Screw For Cladding Clip 250pcs



Locking Screw For Cladding Clip 50pcs



Slatted Reveal Trim 75mm x 160mm x 3600mm Finished face 25mm x 160mm



Plastic Pad 8mm x 18mm







MIDNIGHT Forma Composite Slatted Cladding



Ecoscape's range of composite fencing and gates are an innovative modular WPC profile which stack to create any desired height. This creates a bespoke long lasting, low maintenance alternative to timber fence panels.


Fence boards can either be retrofitted between existing fence posts or can be utilised in the fully composite post system; the perfect way to transform any garden into in to a luxury space.

This versatile system offers flexibility and style but also maintains the same environmentally friendly ethos as our other composite ranges and is made up of the same high quality recycled HDPE plastic and reclaimed wood fibres.

CHARCOAL Clarity Composite Fencing & Gate

Fence board dimensions

Dual surface boards with 3 x 38mm battens on one side and 2 x 63mm battens on the other.



CLARITY® COMPOSITE FENCE BOARDS



Walnut

45mm x 157mm x 1830mm








NOTE: Lighter Clarity boards will show greater colour settling due to smaller quantities of dye and greater UV exposure to the natural wood fibres. After 3 months of UV exposure colour remains consistent.

Graphite

45mm x 157mm x 1830mm





Charcoal

45mm x 157mm x 1830mm





CLARITY® COMPOSITE FENCE COMPONENTS

Top Board 45mm x 139mm x 1830mm



End Post



with Fixing Bolts & Caps

125mm x 190mm x 900mm


Inter Post 125mm x 125mm x 1940/3000mm 125mm x 125mm x 1940/3000mm



Corner Post 125mm x 125mm x 1940/3000mm



Aluminium Bottom Rail 45mm x 52mm x 1830mm



Black Steel Fence Base Plate Steel Post Insert 55mm x 55mm x 1940/3000mm



Plastic Holder / Security Clip Aluminium bottom rail support (pair)




Post Cap 23mm x 145mm x 145mm



Full Top Cap 23mm x 145mm x 4000mm






55

CLARITY ® COMPOSITE GATES

"4ft" Charcoal/Graphite/Walnut 52mm x 900mm x 1220mm



"5ft" Charcoal/Graphite/Walnut 52mm x 900mm x 1520mm



"6ft" Charcoal/Graphite/Walnut 52mm x 900mm x 1820mm



Our preassembled gates come with a black powder coated aluminium frame and are fitted with high quality hinges, handle and lock, ready to hang onto Ecoscape fence posts or equivalent. The gates are dual sided with 63mm battens on one side and 38mm battens on the other.

BENEFITS OF COMPOSITE FENCING & GATES

Modular system allowing for multiple design options.

3 Natural colours with matching gates in 4ft, 5ft & 6ft

Environmentally conscious design using 95% ethically sourced materials

Suitable for new project or retrofit between existing concrete posts

Quick and easy installation system

Strong and durable, storm resistant, 45mm thick boards

Extensive 20 year warranty



MODA BLACK Aluminium Balustrade System with Glass



BALUSTRADE SYSTEMS

VITRA Stainless Steel with Glass

Brushed finish, available base fixed or side fixed





VISIO Aluminium U Channel with Glass

Satin anodised finish







MODA Aluminium with Glass

Satin anodised finish, available base fixed or side fixed





CLARITY® Composite Balustrade

Available in the 5 Clarity colours





CORDA S/S with Wire
Brushed finish



SPIGO S/S with Glass Brushed finish



liteRAIL Aluminium
Black finish, 1000m height





forzaRAIL Galvanized Steel
Textured black finish, 1100mm height





61



All of our decking and paving pedestals are made in Italy from 100% recycled polypropylene with anti-noise rubber coated heads, using advanced electric injection presses which release no emissions or waste oil.

The four ranges of pedestal include King, Queen, Junior & Lord and are beautifully boxed in our 100% FSC® packaging. The range comes with a 15 year limited warranty and 40+ year design life. We have 10 European registered patents, with our technology being unique to the market.

Across the four ranges you have the choice of self-levelling base supports, self-levelling heads and fixed supports, complete with a range of tools and ancillaries to cater for most laying issues and needs.

For technical information visit www.ecoscape.co.uk


"The market's only recycled polypropelene support with a load capacity exceeding 1800kg"



K5 Paving Pedestals

KING PEDESTALS

This revolutionary patented pedestal is adjustable in height and allows the installer to choose between fixed or self-levelling base, just by twisting the converter located under the tower. The self-levelling base allows for maximum accuracy of adjustment and this additional function can correct level differences up to 5% of the surface.



All of our pedestals are made up of 100% recycled high-quality polypropylene to create a sustainable and durable reinforced base and impact resistant screw. The King pedestal is the market's only recycled polypropylene support with a load capacity exceeding 1800kg.

KING PEDESTALS

Decking Pedestal

K1 30mm - K15 1089mm height





Paving Pedestal K1 30mm - K15 1089mm height





King Pedestal Sizes Decking/Paving


Composition	Height
P1 King Extension	113mm
K1	30mm-41mm
K2	41mm-63mm
K3	63mm-95mm
K4	95mm-152mm
K5	152mm-209mm
K6 (K4 + P1)	159mm-272mm
K7 (K5 + P1)	216mm-329mm
K8 (K4 + P1 + P1)	224mm-380mm
K9 (K5 + P1 + P1)	280mm-436mm
K10 (K5 + P1 + P1 + P1)	340mm-545mm

Can be stacked all the way to K15



P1 King Extension, 113mm height, allowing King pedestals to reach heights of 1500mm+.

QUEEN PEDESTALS



Queen is a reliable and durable raised floor support that is adjustable in height, with a fixed head. Ideal for multi-level renovations and projects that require operating at low heights. The Queen's minimum elevation height is just 21mm, through to 1000mm+.



With the application of a simple component between the screw and head, the Queen Plus attachment offers the option of self-levelling at the head to correct slopes of up to 5%. This transitions the Queen pedestal from fixed to a simple and practical self-levelling support.

QUEEN PEDESTALS

Decking Pedestal

Q1 21mm - Q15 1224mm height





Paving Pedestal Q1 21mm - Q15 1224mm height





Queen Pedestal Sizes Decking/Paving

Height
36mm
134mm
50mm
21mm - 30mm
29mm - 44mm
43mm - 72mm
70mm - 126mm
124mm - 234mm
28mm - 37mm
36mm - 51mm
50mm - 79mm
77mm - 133mm
131mm - 241mm

Can be stacked all the way to Q15/QP15



QUEEN PLUS Attachment




QTS Queen Tower Short Extension



QTL Queen Tower Long Extension

JUNIOR PEDESTALS



Junior Paving Pedestal
J1 12mm - J3 30mm height






Junior is an extremely low 12mm to 30mm support with a self-levelling head and functions without additional extensions. The movement of the screw runs between the head and the base which allows easy levelling of the floor and capable of adjusting slopes of up to 1.5%.

Junior Pedestal Sizes
Suitable for paving systems only

Composition	Height
J1	12mm - 18mm
J2	18mm - 24mm
J3	24mm - 30mm

LORD MODULAR CRADLES



Lord Paving Cradle 8mm height + 4mm height extension





Lord cradles are fixed at 8mm and can be heightened by increments of 4mm when adding the Lord extension beneath the support. Lord is an effective solution in minor adjustment renovations and in all projects where very low heights are required.

Lord Sizes

Suitable for paving systems only

Composition	Height
Lord	8mm
Extension	4mm


Stack up to 3 extensions.



Using only the highest grade 100% recycled plastics we produce extremely strong and durable plastic joists/battens as an alternative to using a timber substructure. With profiles suitable for both decking and cladding these solutions are especially beneficial in the damp British climate where timber can be compromised in a matter of a few years.

We also offer a recycled aluminium support system. Extremely light weight and durable – aluminium does not warp, shrink, swell like timber and remains perfectly straight throughout its 80+ year lifespan. The recycling process only takes up 5% of the energy used during its manufacturing and the quality of recycle aluminium is the same as that of new.





FORTE TIMBER FREE JOISTS, BATTENS & ACCESSORIES

Plastic Decking Joist 50mm x 50mm x 2400mm



Plastic Decking Joist 50mm x 125mm x 3000mm



Plastic Decking Post 100mm x 100mm x 3000mm



Plastic Cladding Battens 25mm x 50mm x 3000mm 20mm x 100mm x 2800mm



Aluminium Joist 40mm x 40mm x 3600mm



Aluminium Joist 25mm x 70mm x 2000mm



Cladding/Decking Tape 54mm & 100mm widths



Our weatherproof Cladding/ Decking Tape preserves your timber cladding or decking frame to match the lifespan of our composite boards.

Made from recycled plastic, the tape is respositionable, self-seals, comes with a 25 year warranty and can even be applied to damp timber or below freezing temperatures.

ACCESS OUR ONLINE RESOURCES

Scan the QR codes with the camera on your mobile device to view our pdf guides and videos.



DECKING GUIDE



PANEL CLADDING GUIDE



SLATTED CLADDING GUIDE



FENCING GUIDE



GATES GUIDE



HELPFUL VIDEOS



SKETCHUP 3D WAREHOUSE

