ecoscape®

PRODUCT BROCHURE

FORMA® CLICK

Composite cladding for Grad®

ecoscape.co.uk
01706 364 637
Vol 13 · 2026



Dark Oak Forma Click Combi



Forma Click is a composite cladding system developed in collaboration with Grad. It combines Ecoscape's distinctive composite profiles with Grad's precision engineered aluminium rail substructure to create a clean, click-in wall covering with no visible fixings. Designed with architects, contractors and specifiers in mind, the system delivers a precise and repeatable installation method suited to both residential and commercial applications.

Reduce Installation Time with 50%

Installation of Forma Click is streamlined by replacing conventional timber joists with Grad's durable aluminium rails and concealed clips. The boards simply click into place, creating smooth, uninterrupted surfaces while reducing installation time by up to 50 percent. The result is a faster build process and a refined finish that protects the integrity of the Forma profiles.

ecoscape® x grad®



Developed to overcome the limitations of traditional face-fixed cladding, the Forma Click system eliminates visible screws while ensuring accurate alignment and consistent ventilation. The concealed Grad rail and clip structure creates smooth, uninterrupted surfaces that enhance façade precision and support reliable long term performance across a wide range of wall and ceiling applications.

Inspired by the look of natural timber, Forma Click delivers warmth and texture without the need for painting, staining, or oiling. Its durable, low maintenance composite construction is backed by a 25 year warranty, making it suitable for a wide range of exterior applications.

Sustainability is integral to the design, with recycled and recyclable materials and a system that allows boards to be removed and reused, supporting circular construction and long term environmental performance.



Small 45mm | **Medium** 64mm | **Large** 119mm

Forma Click composite cladding boards are available in three widths and five colour options. The boards can be installed vertically, horizontally or at an angle.



SILVER BIRCH
Forma Click Small



Grad® Rail Options

Combi – For mix of 45mm (S), 64mm (M) and 119mm (L) boards*



* Pre-set pattern, see installation guide for more info.

Small – For 45mm (S) boards



Medium – For 64mm (M) boards



Large – For 119mm (L) boards



Combi Rail

The Grad Combi Rail is engineered to accommodate the mixed-width Combi configuration, allowing 45mm (S), 64mm (M) and 119mm (L) Forma Click boards to be installed in a pre-set pattern. This creates architectural variation while maintaining precise 5mm shadow gaps and consistent alignment.







FORMA® CLICK - COMPOSITE CLADDING FOR GRAD®

Silver Birch
Available in 3 widths in 2500mm and 3600mm lengths




Natural Oak
Available in 3 widths in 2500mm and 3600mm lengths




Argent
Available in 3 widths in 2500mm and 3600mm lengths




Dark Oak
Available in 3 widths in 2500mm and 3600mm lengths




NEW

Charred Wood
Available in 3 widths in 2500mm and 3600mm lengths




Forma Click is available in a striking black charred finish inspired by **Japanese Yakisugi (Shou Sugi Ban)**. This high sheen surface replicates the look of burnt timber while delivering the durability and low maintenance of modern composite materials.

VIEW INSTALLATION GUIDE

Additional Options
Alongside our stocked range, you can choose from 15 additional colours and lengths up to 5400mm, available to order with a minimum of 250m²+ (profile dependent) and a 14-16 week lead time.

SIZES



Small Medium Large

2500mm lengths			
Colour	Small	Medium	Large
Silver Birch	ECOGDAS25SB	ECOGDAM25SB	ECOGDAL25SB
Natural Oak	ECOGDAS25NO	ECOGDAM25NO	ECOGDAL25NO
Charred Wood	ECOGDAS25CW	ECOGDAM25CW	ECOGDAL25CW
Argent	ECOGDAS25AR	ECOGDAM25AR	ECOGDAL25AR
Dark Oak	ECOGDAS25DO	ECOGDAM25DO	ECOGDAL25DO

3600mm lengths			
Colour	Small	Medium	Large
Silver Birch	ECOGDAS36SB	ECOGDAM36SB	ECOGDAL36SB
Natural Oak	ECOGDAS36NO	ECOGDAM36NO	ECOGDAL36NO
Charred Wood	ECOGDAS36CW	ECOGDAM36CW	ECOGDAL36CW
Argent	ECOGDAS36AR	ECOGDAM36AR	ECOGDAL36AR
Dark Oak	ECOGDAS36DO	ECOGDAM36DO	ECOGDAL36DO

To calculate material required per sqm, please see installation guide.

GRAD® CLADDING RAIL

Flat Rail

Used for installing exterior cladding, soffits, roofing, ceilings, and interior panelling. Includes standard Grad clips, pre-fitted in fixed positions for easy installation.





Grad Flat Rail sizes available			
Size	Code	Clip spacing	Rail dimensions (excl clip)
Small	ECOGDRS	51mm (for 45mm boards)	12mm x 55mm x 1989mm
Medium	ECOGDRM	69mm (for 64mm boards)	12mm x 55mm x 2001mm
Large	ECOGDRL	56mm & 68mm (for 119mm boards)	12mm x 55mm x 1984mm
Combi	ECOGDVA	Combi (mixes all three board sizes)	12mm x 55mm x 1969mm



Small rail - Recurrent 51mm clip spacing for 39 x 45mm boards



Medium rail - Recurrent 69mm clip spacing for 29 x 64mm boards



Large rail - Alternating 56mm & 68mm clip spacing for 16 x 119mm boards (2 clips used per board)



Combi rail - Mixed board spacing for 8 x 45mm, 8 x 64mm and 8 x 119mm boards

To calculate material required per sqm, please see installation guide.



GRAD® RAIL ACCESSORIES

Clip Grip
Prevents board slippage, 50pcs

ECOGDRGC



Starter Bracket
Vertical board support

ECOGDCLH



Rail Connector
Links sections of Flat Rail, 20pcs

Small: ECOGDTLKS
Medium: ECOGDTLKM
Large: ECOGDTLKL



Removal Tool
For removing cladding boards, pair

ECOGDK



Rubber Strip
2000mm x 55mm x 4mm, pack of 2

ECOGDRBST



Corner Trim
3000mm
Black / Anthracite Grey

ECOGDCTXX



End Trim
36/56mm x 3000mm
Black / Anthracite Grey

ECOGDETXX36
ECOGDETXX56



Drip Trim
45/65mm x 3000mm
Black / Anthracite Grey

ECOGDDTXX45
ECOGDDTXX65



Grad Clips	
Description	**Code**
Half Clip	ECOGDCLH
Angle Clip	ECOGDCLA
Sliding Clip	ECOFDCLS
Replacement Clip	ECOGDRGC

Trim Brackets	
Used For	**Code**
Corner Trims	ECOGDBCT
End Trims	ECOGDBET

NEW

BENEFITS OF

FORMA® CLICK

Composite Cladding For Grad®

- **Reduce Installation Time By 50% -** Pre-grooved boards effortlessly click into Grad aluminium rails for speed
- **Precision Spacing** - Factory set clips guarantee accuracy with no on-site adjustment needed
- **Installation Flexibility** - With three board widths and four Grad rails, designers are free to create a wide range of façade for maximum visual impact
- **Versatile Applications** - Suitable for installation on any surface from house w, walls, and ceilings to garden rooms, screens and more
- **Perfect Finish With No Visible Fixing** – No damage to the surface of the Forma Click composite boards
- **Low Maintenance** - No painting, staining or sealing required
- **25 Year Warranty** - Durable, UV stable capped composite boards that will look beautiful for years to come

ecoscape

FOR SPECIFIERS

Specification guides, installation guides and CAD and BIM files for every range are in our resource centre.

ecoscape.co.uk/resource-centre

TALK TO US

Specification team	specification@ecoscapeuk.co.uk
Sales	sales@ecoscape.co.uk · 01706 364 637
Free samples	ecoscape.co.uk/order-free-sample

SHOWROOMS

London
82 Clerkenwell Road, London, EC1M 5RF

Manchester
Higher Broadfield Farm, Heywood, OL10 2TA

Taken from the Ecoscape brochure, Vol 13 (September 2026). We take care to make sure this information is accurate at the time of publication; products, colours and specifications may change. Please check the latest specification guide before ordering.